



## SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name ORANGE CHIFFON CAKE FRAGRANCE  
Code Number DEV-53850  
Alternative Name  
REACH Reg No Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

#### 1.3 Details of the supplier of the safety data sheet

Stansfield's Fragrance Oils Ltd  
Unit 14a Ipark Industrial Estate  
Innovation Drive  
Hull  
HU5 1SG  
Telephone Number 01482 447272  
Email Address info@stansfields.shop  
1.4 Emergency Tel No 07921 236290

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

AH 1 Aspiration hazard, category 1  
SCI 2 Skin corrosion/irritation, category 2  
SS 1A Skin sensitisation, category 1A  
EDI 2 Eye damage/irritation, category 2  
EH C2 Aquatic hazard, chronic, category 2

#### 2.2 CLP Label elements

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850

Version 5 Revised 12/11/2021 08:30:23

CLP classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

- |      |   |
|------|---|
| H304 | May be fatal if swallowed and enters airways    |
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H319 | Causes serious eye irritation                   |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

- |                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P273           | Avoid release to the environment.  |
| P280           | Wear protective gloves and eye protection  |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTRE.  |
| P302+P352      | IF ON SKIN: Wash with plenty of water.   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P333+P313      | If skin irritation or rash occurs: Get medical advice.   |
| P337+P313      | If eye irritation persists: Get medical attention.   |
| P501           | Dispose of contents and container in accordance with local regulation.   |

## 2.3 Other Hazards

Contains Cinnamal, Citral, Coumarin, Limonene and Linalool which may produce an allergic reaction

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of fragrance ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	>=10%,<25%
CAS 121-32-4 EINECS 204-464-7 REACH	Ethyl vanillin EDI 2 H319	>=10%,<25%
CAS 120-14-9 EINECS 204-373-2 REACH	3,4-Dimethoxybenzaldehyde (Veratraldehyde) ATO 4(2000) H302	>=3%,<5%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin EDI 2 H319	>=1%,<3%
CAS 78-69-3 EINECS 201-133-9 REACH	Tetrahydrolinalool SCI 2 H315	>=1%,<3%
CAS 4940-11-8 EINECS 225-582-5 REACH	Ethyl maltol (3-Hydroxy-2-ethyl-4H-pyran-4-one) ATO 4(1200) H302	>=1%,<3%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde (3-Phenyl-2-propenal) (Cinnamaldehyde) ATD 4(1100);SCI 2;SS 1A;EDI 2 H312,H315,H317,H319	>=1%,<3%
CAS 77-83-8 EINECS 201-061-8 REACH	Aldehyde C-16 fraise (Strawberry aldehyde) (Et-me-ph glycidate) SS 1;EH C2 H317,H411	>=0.1%,<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

## Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further information available at this time

### 4.3 Indication of immediate medical attention and special treatment needed

No further information available at this time

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder.  
DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours. Keep containers cool with water spray

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.  
Avoid inhalation, skin and eye contact.  
Ensure proper ventilation.

### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

## 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

## 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

### 7.3 Specific end use(s)

No further information available

## Section 8. Exposure controls / personal protection

### 8.1 Control Parameters

No information

### 8.2 Exposure controls

Engineering controls

No information

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Wear safety goggles.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

Thermal hazards  
No information  
Environmental exposure controls  
No information

Section 9. Physical and chemical properties  
9.1 Information on basic physical and chemical properties  
FLASH POINT (°C) 61  
9.2 Other information  
No further information available

Section 10. Stability and reactivity  
10.1 Reactivity  
Not determined  
10.2 Chemical Stability  
Not determined  
10.3 Possibility of hazardous reactions  
Not determined  
10.4 Conditions to avoid  
Extreme temperatures  
10.5 Incompatible materials  
Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.  
10.6 Hazardous decomposition products  
Not determined

Section 11. Toxicological information  
11.1 Information on toxicological effects  
Acute toxicity  
1-Benzopyran-2-one (Coumarin) (CAS: 91-64-5)  
Oral route: LD50 = 500 mg/kg  
3,4-Dimethoxybenzaldehyde (Veratraldehyde) (CAS: 120-14-9)  
Oral route: LD50 = 2000 mg/kg  
Benzaldehyde (CAS: 100-52-7)

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850

Version 5 Revised 12/11/2021 08:30:23

Oral route: Data not available

Cinnamic aldehyde (3-Phenyl-2-propenal) (Cinnamaldehyde) (CAS: 104-55-2)  
Dermal route: LD50 = 1100 mg/kg

Ethyl maltol (3-Hydroxy-2-ethyl-4H-pyran-4-one) (CAS: 4940-11-8)  
Oral route: LD50 = 1200 mg/kg

Methyl benzoate (CAS: 93-58-3)  
Oral route: LD50 = 1300 mg/kg

Skin corrosion / irritation

No data

Serious eye damage / irritation

No data

Respiratory or skin sensitisation

No data

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*





# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850  
Version 5 Revised 12/11/2021 08:30:23

- 14.4 Packing group III  
Tunnel Code (E)
- 14.5 Environmental Hazards  
No relevant information available
- 14.6 Special precautions for user  
No relevant information available
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
Not applicable

## Section 15. Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
No relevant information available at this time
- 15.2 Chemical safety assessment  
A chemical safety assessment has not been carried out

## Section 16. Other information

### Full list of precautionary phrases

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P273 Avoid release to the environment.
- P280 Wear protective gloves and eye protection
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 If skin irritation or rash occurs: Get medical advice.
- P337+P313 If eye irritation persists: Get medical attention.
- P501 Dispose of contents and container in accordance with local regulation.

### Wording of any hazard classes listed in section 3

- FL 3 Flammable liquid, category 3  
ATO 4 Acute toxicity, oral, category 4

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53850

Version 5 Revised 12/11/2021 08:30:23

AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2	Eye damage/irritation, category 2
EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*