



SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name SKITTLE BOMB FRAGRANCE
Code Number DEV-53374
Alternative Name
REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Stansfield's Fragrance Oils Ltd
Unit 14a Ipark Industrial Estate
Innovation Drive
Hull
HU5 1SG
Telephone Number 01482 447272
Email Address info@stansfields.shop

1.4 Emergency Tel No 07921 236290

Section 2. Hazard Identification

2.1 Classification of the substance or mixture

SCI 2 Skin corrosion/irritation, category 2
SS 1B Skin sensitisation, category 1B
EDI 2 Eye damage/irritation, category 2
EH C2 Aquatic hazard, chronic, category 2

2.2 CLP Label elements

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

CLP classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

Hazard Statements

- | | |
|------|---|
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

- | | |
|-----------|--|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. |
| P337+P313 | If eye irritation persists: Get medical attention. |
| P501 | Dispose of contents and container in accordance with local regulation. |

2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Citral, Citronellol, Geraniol, Hexyl Cinnamal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of fragrance ingredients

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number *DEV-53374*
Version 4 Revised 12/11/2021 08:39:26

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate (Phenylmethyl benzoate) ATO 4(1500);EH A1,C2 H302,H400,H411	>=10%,<25%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	>=5%,<10%
CAS 14901-07-6 EINECS 238-969-9 REACH	beta-Ionone (4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one) EH C2 H411	>=5%,<10%
CAS 100-51-6 EINECS 202-859-9 REACH	Benzyl alcohol (Phenylmethyl alcohol) ATO 4(1620);EDI 2;ATI 4 H302,H319,H332	>=5%,<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Coriandrol (Linalool) (3,7-Dimethyl-1,6-octadien-3-ol) SCI 2;EDI 2 H315,H319	>=1%,<3%
CAS 1506-02-1 EINECS 216-133-4 REACH	6-Acetyl-1,1,2,4,4,7-hexamethyltetraline (Tonalide,Fixolide,AHTN) ATO 4(1000);EH A1,C1 H302,H400,H410	>=1%,<3%
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2;SS 1;EDI 2 H315,H317,H319	>=0.1%,<1%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol (3,7-Dimethyl-2,6-octadien-1-ol) SCI 2;SS 1;EDI 1 H315,H317,H318	>=0.1%,<1%
CAS 57378-68-4 EINECS 260-709-8 REACH	delta-Damascone (1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one) ATO 4(1600);SCI 2;SS 1;EH A1,C1 H302,H315,H317,H400,H410	>=0.1%,<1%
CAS 77-83-8 EINECS 201-061-8 REACH	Aldehyde C-16 fraise (Strawberry aldehyde) (Et-me-ph glycidate) SS 1;EH C2 H317,H411	>=0.1%,<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further information available at this time

4.3 Indication of immediate medical attention and special treatment needed

No further information available at this time

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder.
DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours. Keep containers cool with water spray

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.
Avoid inhalation, skin and eye contact.
Ensure proper ventilation.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

accordance with regulations.

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

7.3 Specific end use(s)

No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No information

8.2 Exposure controls

Engineering controls

No information

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Wear safety goggles.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

Thermal hazards
No information
Environmental exposure controls
No information

Section 9. Physical and chemical properties
9.1 Information on basic physical and chemical properties
FLASH POINT (°C) Above 61
9.2 Other information
No further information available

Section 10. Stability and reactivity
10.1 Reactivity
Not determined
10.2 Chemical Stability
Not determined
10.3 Possibility of hazardous reactions
Not determined
10.4 Conditions to avoid
Extreme temperatures
10.5 Incompatible materials
Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.
10.6 Hazardous decomposition products
Not determined

Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline (Tonalide, Fixolide, (CAS: 1506-02-1)
Oral route: LD50 = 1000 mg/kg
Allyl heptylate (Allyl heptanoate) (2-Propenyl heptanoate) (CAS: 142-19-8)
Dermal route: LD50 = 810 mg/kg
Inhalation route: Data not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374

Version 4 Revised 12/11/2021 08:39:26

Benzyl alcohol (Phenylmethyl alcohol) (CAS: 100-51-6)
Oral route: LD50 = 1620 mg/kg
Inhalation route: Data not available

Benzyl benzoate (Phenylmethyl benzoate) (CAS: 120-51-4)
Oral route: LD50 = 1500 mg/kg

delta-Damascone (1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-but (CAS: 57378-68-4)
Oral route: LD50 = 1600 mg/kg

Ethyl maltol (3-Hydroxy-2-ethyl-4H-pyran-4-one) (CAS: 4940-11-8)
Oral route: LD50 = 1200 mg/kg

Raspberry Ketone (4-(4-Hydroxyphenyl)-2-butanone) (Oxyphenyl) (CAS: 5471-51-2)
Oral route: LD50 = 1400 mg/kg

Skin corrosion / irritation
No data

Serious eye damage / irritation
No data

Respiratory or skin sensitisation
No data

Germ cell mutagenicity
No data

Carcinogenicity
No data

Reproductive toxicity
No data

STO-single exposure
No data

STO-repeated exposure
No data

Aspiration hazard
No data

Information on likely routes of exposure
No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374
Version 4 Revised 12/11/2021 08:39:26

- 14.3 Transport hazard class(es) 9
- 14.4 Packing group III
- Tunnel Code (E)
- 14.5 Environmental Hazards
No relevant information available
- 14.6 Special precautions for user
No relevant information available
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable

Section 15. Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
No relevant information available at this time
- 15.2 Chemical safety assessment
A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

- | | |
|-----------|--|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. |
| P337+P313 | If eye irritation persists: Get medical attention. |
| P501 | Dispose of contents and container in accordance with local regulation. |

Wording of any hazard classes listed in section 3

- | | |
|-------|---------------------------------------|
| FL 3 | Flammable liquid, category 3 |
| ATO 4 | Acute toxicity, oral, category 4 |
| AH 1 | Aspiration hazard, category 1 |
| SCI 2 | Skin corrosion/irritation, category 2 |
| SS 1 | Skin sensitisation, category 1 |
| SS 1B | Skin sensitisation, category 1B |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET

Printed on 12 Nov 2021

CLP: According to 2015/830/EU

Code Number DEV-53374

Version 4 Revised 12/11/2021 08:39:26

EDI 1	Eye damage/irritation, category 1
EDI 2	Eye damage/irritation, category 2
ATI 4	Acute toxicity, inhalation, category 4
EH A1	Aquatic hazard, acute, category 1
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.