

In accordance with REACH Regulation EC No.1907/2006

ICED EUCALYPTUS FRAGRANCE **Product:**

6 Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: ICED EUCALYPTUS FRAGRANCE (Contains:CITRONELLOL, COUMARIN, HELIOTROPINE, ISOEUGENOL) Other identifiers:

None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

| Company name: | Stansfield's Fragrance Oils |
|------------------|-------------------------------------|
| Company address: | Unit B Solo Works Rotterdam Road |
| | Hull HU7 0XD |

Contact:

| E-Mail address: | info@stansfields.shop |
|-----------------|-----------------------|
| Company phone: | +44 (0) 1482 447272 |

1.4 Emergency telephone number

Emergency phone: Outside Office Hours: +44 (0)7921236290

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

| Class and category of danger: | Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 | | | | |
|----------------------------------|---|--|--|--|--|
| | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 | | | | |
| | H315, Causes skin irritation. | | | | |
| | H317, May cause an allergic skin reaction. | | | | |
| | H319, Causes serious eye irritation. | | | | |
| | H412, Harmful to aquatic life with long lasting effects. | | | | |
| 2.2 Label elements | | | | | |

Classification under Regulation (EC) No 1272/2008

Signal word: Warning



In accordance with REACH Regulation EC No.1907/2006

| Product: | ICED E | ICED EUCALYPTUS FRAGRANCE | | | | | |
|------------------------------|--------|--|--|--|--|--|--|
| Version: | 6 | | | | | | |
| Hazard statements: | | H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects. | | | | | |
| Supplemental Information: | | EUH208, Contains 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 3-(2H-1,3- BENZODIOXOL-5-YL)-2-METHYLPROPANAL, 3-(4-ISOBUTYL-2-METHYLPHENYL) PROPANAL, 4-TERT-BUTYLCYCLOHEXYL ACETATE, ALLYL CYCLOHEXYLPROPIONATE, ALPHA-ISOMETHYL IONONE, BENZYL SALICYLATE, CINNAMYL ALCOHOL, CYCLAMEN ALDEHYDE, DELTA-DAMASCONE, DIMETHYLCYCLOHEXENYL 3-BUTENYL KETONE, EUCALYPTOL, EUGENOL, GERANIOL, HEXYL CINNAMAL, L-LIMONENE, LAURALDEHYDE, LINALOOL, NEROL, TETRAHYDROLINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, UNDEC-10-ENAL. May produce an allergic reaction. | | | | | |
| Precautionary statements: | | P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations. | | | | | |



Pictograms:

2.3 Other hazards

Other hazards:

Sensitisers declared on a CLP Hazard Label:

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL, 3-(4-ISOBUTYL-2-METHYLPHENYL)PROPANAL, 4-TERT-BUTYLCYCLOHEXYL ACETATE, ALLYL CYCLOHEXYLPROPIONATE, ALPHA-ISOMETHYL IONONE, BENZYL SALICYLATE, CINNAMYL ALCOHOL, CYCLAMEN ALDEHYDE, DELTA-DAMASCONE, DIMETHYLCYCLOHEXENYL 3-BUTENYL KETONE, EUCALYPTOL, EUGENOL, GERANIOL, HEXYL CINNAMAL, L-LIMONENE, LAURALDEHYDE, LINALOOL, NEROL, TETRAHYDROLINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, UNDEC-10-ENAL



Page 3 (13) Issue date: 06/03/2024 Version: 6 (06/03/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

Other hazards: Hydrocarbon Concentration %: 0.000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|---|--|---|---------------------------|--------|--|---|
| PHENETHYL ALCOHOL | 60-12-8 | 200-456-2 | 01-2119963921-31-xxxx | 5-<10% | ATO 4-EDI 2;H302- H319,- | dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw |
| 2,6-DIMETHYL-7- OCTEN-2-OL | 18479-58-8 | 242-362-4 | | 5-<10% | SCI 2-EDI 2-STO-SE 3 (NE);H315-H319-H336, - | oral: ATE = 3020 mg/kg bw |
| TETRAHYDRO- METHYL- (METHYLPROPYL)- PYRAN-4-OL | 63500-71-0 | 405-040-6 | 01-0000015458-64-xxxx | 5-<10% | EDI 2;H319,- | |
| COUMARIN | 91-64-5 | 202-086-7 | | 5-<10% | ATO 4-SS 1B-EH C3; H302-H317-H412,- | oral: ATE = 500 mg/kg bw |
| BENZYL ACETATE | 140-11-4 | 205-399-7 | | 1-<5% | EH C3;H412,- | oral: ATE = 2490 mg/kg bw |
| CITRONELLOL | 106-22-9, 1117-61-9, 26489-01-0, 6812-78-8, 141-25-3, 7540-51-4 | 203-375-0, 214-250-5, 247-737-6, 229-887-4, 205-473-9, 231-415-7 | 01-2119453995-23-xxxx | 1-<5% | SCI 2-EDI 2-SS 1B; H315-H317-H319,- | dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw |
| GAMMA UNDECALACTONE | 104-67-6 | 203-225-4 | | 1-<5% | EH C3;H412,- | |
| HELIOTROPINE | 120-57-0 | 204-409-7 | | 1-<5% | SS 1B;H317,- | oral: ATE = 2700 mg/kg bw |
| TERPINEOL | 8000-41-7 | 232-268-1 | 01-2119553062-49-xxxx | 1-<5% | SCI 2-EDI 2;H315- H319,- | oral: ATE = 4300 mg/kg bw |
| LINALOOL | 78-70-6 | 201-134-4 | 01-2119474016-42-xxxx | 1-<5% | SCI 2-EDI 2-SS 1B; H315-H317-H319,- | oral: ATE = 2790 mg/kg bw |
| EUCALYPTOL | 470-82-6 | 207-431-5 | | 1-<5% | FL 3-SS 1B;H226- H317,- | oral: ATE = 2480 mg/kg bw |
| GERANIOL | 106-24-1 | 203-377-1 | 01-2119552430-49-xxxx | 1-<5% | SCI 2-EDI 1-SS 1; H315-H317-H318,- | oral: ATE = 3600 mg/kg bw |
| 2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE | 68039-49-6 | 268-264-1 | | 1-<5% | SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319- H411,- | oral: ATE = 3900 mg/kg bw |
| TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES | 54464-57-2, 54464-59-4, 68155-66-8, 68155-67-9 | 259-174-3, 259-175-9, 268-978-3, 268-979-9, 915-730-3 | 01-2119489989-04-xxxx | 1-<5% | SCI 2-SS 1B-EH C1; H315-H317-H410,- | |
| METHYL BETA- NAPHTHYL ETHER | 93-04-9 | 202-213-6 | | 1-<5% | EH C2;H411,- | |
| NEROL | 106-25-2 | 203-378-7 | | 1-<5% | SCI 2-EDI 2-SS 1B; H315-H317-H319,- | oral: ATE = 4500 mg/kg bw |
| ETHYL VANILLIN | 121-32-4 | 204-464-7 | | 1-<5% | EDI 2;H319,- | oral: ATE = 3000 mg/kg bw |



In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

| | | | | | EDI 2-SS 1B;H317- | oral: ATE = 2500 |
|--|------------------|-----------|-----------------------|---------|--|--|
| EUGENOL | 97-53-0 | 202-589-1 | | 1-<5% | H319,- | mg/kg bw |
| METHYL ANTHRANILATE | 134-20-3 | 205-132-4 | | 1-<5% | EDI 2;H319,- | oral: ATE = 2780 mg/kg bw |
| CIS-2-TERT- BUTYLCYCLOHEXYL ACETATE | 20298-69-5 | 243-718-1 | 01-2119970713-33-xxxx | 1-<5% | EH C2;H411,- | oral: ATE = 4600 mg/kg bw |
| HEXYL CINNAMAL | 101-86-0 | 202-983-3 | | 0.1-<1% | SS 1B-EH A1-EH C2; H317-H400-H411,- | oral: ATE = 3100 mg/kg bw |
| ALPHA-ISOMETHYL IONONE | 127-51-5 | 204-846-3 | | 0.1-<1% | SS 1B-EH C2;H317- H411,- | |
| BENZYL SALICYLATE | 118-58-1 | 204-262-9 | | 0.1-<1% | SS 1B-EH C3;H317- H412,- | oral: ATE = 2200 mg/kg bw |
| 4-TERT- BUTYLCYCLOHEXYL ACETATE | 32210-23-4 | 250-954-9 | 01-2119976286-24-xxxx | 0.1-<1% | SS 1B;H317,- | oral: ATE = 3370 mg/kg bw |
| CINNAMYL ALCOHOL | 104-54-1 | 203-212-3 | | 0.1-<1% | ATO 4-SS 1B-EH C2; H302-H317-H411,- | oral: ATE = 2000 mg/kg bw |
| TETRAHYDROLINALO OL | 78-69-3 | 201-133-9 | 01-2119454788-21-xxxx | 0.1-<1% | SCI 2-EDI 2-SS 1B; H315-H317-H319,- | |
| 3-(4-ISOBUTYL-2- METHYLPHENYL) PROPANAL | 1637294-12- 2 | 811-285-3 | | 0.1-<1% | ATO 4-SCI 2-EDI 2-SS 1-EH C2;H302-H315- H317-H319-H411,- | |
| OCTAHYDROCOUMAR IN | 4430-31-3 | 224-623-4 | | 0.1-<1% | EDI 1;H318,- | dermal: ATE = 3500 mg/kg bw-oral: ATE = 3900 mg/kg bw |
| CYCLAMEN ALDEHYDE | 103-95-7 | 203-161-7 | 01-2119970582-32-xxxx | 0.1-<1% | SCI 2-SS 1B-EH C3; H315-H317-H412,- | oral: ATE = 3810 mg/kg bw |
| CAMPHOR | 76-22-2 | 200-945-0 | | 0.1-<1% | FS 2-ATO 4-ATI 4-SCI 2-EDI 1-STO-SE 2-EH C2;H228-H302-H315- H318-H332-H371- H411,- | inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 1500 mg/kg bw |
| UNDEC-10-ENAL | 112-45-8 | 203-973-1 | 01-2119990746-20-xxxx | 0.1-<1% | SS 1B-EH C3;H317- H412,- | |
| ALLYL CAPROATE | 123-68-2 | 204-642-4 | | 0.1-<1% | ATO 3-ATD 3-ATI 3-EH A1-EH C3;H301-H311- H331-H400-H412,- | inhalation: ATE = 3 mg/l (vapour)-dermal: ATE = 300 mg/kg bw- oral: ATE = 218 mg/kg bw |
| 3-(2H-1,3- BENZODIOXOL-5-YL) -2-METHYLPROPANAL | 1205-17-0 | 214-881-6 | 01-2120740119-58-xxxx | 0.1-<1% | SS 1B-REP 2-EH C2; H317-H361-H411,- | oral: ATE = 3562 mg/kg bw |
| TETRAHYDRO-4- METHYL-2-(2- METHYLPROP-1- ENYL)PYRAN | 16409-43-1 | 240-457-5 | | 0.1-<1% | SCI 2-EDI 2-REP 2; H315-H319-H361,- | oral: ATE = 4300 mg/kg bw |
| AMYL SALICYLATE | 2050-08-0 | 218-080-2 | | 0.1-<1% | ATO 4-EH A1-EH C1; H302-H410,- | oral: ATE = 2000 mg/kg bw |
| LAURALDEHYDE | 112-54-9 | 203-983-6 | 01-2119969441-33-xxxx | 0.1-<1% | SCI 2-EDI 2-SS 1B; H315-H317-H319,- | |
| ALLYL CYCLOHEXYLPROPIO NATE | 2705-87-5 | 220-292-5 | 01-2119976355-27-xxxx | 0.1-<1% | ATO 4-ATD 4-SS 1-EH A1-EH C2;H302-H312- H317-H400-H411,- | |
| DIPHENYL ETHER | 101-84-8 | 202-981-2 | | 0.1-<1% | EDI 2-EH A1-EH C3; H319-H400-H412,- | oral: ATE = 2830 mg/kg bw |
| L-LIMONENE | 5989-54-8 | 227-815-6 | 01-2119958629-18-xxxx | 0.1-<1% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226- H304-H315-H317- H400-H412,- | |
| DIMETHYLCYCLOHEX ENYL 3-BUTENYL KETONE | 56973-85-4 | 260-486-7 | | 0.1-<1% | SS 1B-EH C2;H317- H411,- | oral: ATE = 2500 mg/kg bw |



6

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version:

| DELTA-DAMASCONE | 57378-68-4 | 260-709-8 | <0.1 | .1% | | oral: ATE = 1400 mg/kg bw |
|-----------------|------------|---------------------------------------|------|-----|---|--|
| ISOEUGENOL | 5932-68-3, | 202-590-7, 227-678-2, 227-633-7 | <0.1 | .1% | ATO 4-ATD 4-ATT 4- SCI 2-EDI 2-SS 1A- STO-SE 3(RI);H302- H312-H315-H317- H319-H332-H335 - | Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw |

Substances with Community workplace exposure limits:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|-------------------|--------------------------|---|---------------------------|---------|---------------------------------------|---|
| CAMPHOR | 464-49-3, 21368-68-3, | 200-945-0, 207-355-2, 244-350-4, 207-354-7 | | 0.1-<1% | -5-5- | |
| DIETHYL PHTHALATE | 84-66-2 | 201-550-6 | 01-2119486682-27-xxxx | 10-<20% | -;-,- | |
| DIPHENYL ETHER | 101-84-8 | 202-981-2 | | 111_<1% | / | oral: ATE = 2830 mg/kg bw |

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

| Inhalation: | Remove from exposure site to fresh air, keep at rest, and obtain medical attention. |
|----------------|--|
| Eye exposure: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Skin exposure: | IF ON SKIN: Wash with plenty of soap and water. |
| Ingestion: | Rinse mouth with water and obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.



In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

| Ingredient | CAS | EC | Description | Value |
|-------------------|-------------------------|--------------------------|---|----------|
| | | | UK Long-term exposure limit (8-hour TWA) (ppm) | 2 ppm |
| CAMPHOR | 76-22-2, 464-49-3, | 200-945-0, 207-355-2, | UK Long-term exposure limit (8-hour TWA) (mg/m3) | 13 mg/m³ |
| CAMPHOR | 21368-68-3, 464-48-2 | 244-350-4, 207-354-7 | UK Short-term exposure limit (15-minute) (ppm) | 3 ppm |
| | | | UK Short-term exposure limit (15-minute) (mg/m3) | 19 mg/m³ |
| DIETHYL PHTHALATE | 94 66 0 | 201 550 6 | UK Long-term exposure limit (8-hour TWA) (mg/m3) | 5 mg/m³ |
| | 84-66-2 | | UK Short-term exposure limit (15-minute) (mg/m3) | 10 mg/m³ |
| | 101-84-8 | 202-981-2 | UK Long-term exposure limit (8-hour TWA) (ppm) | 1 ppm |
| | | | UK Long-term exposure limit (8-hour TWA) (mg/m3) | 7 mg/m³ |
| | | | UK Short-term exposure limit (15-minute) (ppm) | 2 ppm |
| | | | UK Short-term exposure limit (15-minute) (mg/m3) | 14 mg/m³ |
| DIPHENYL ETHER | | | EU Long-term exposure limit (8-hour TWA) (ppm) | 1 ppm |
| | | | EU Long-term exposure limit (8-hour TWA) (mg/m3) | 7 mg/m³ |
| | | | EU Short-term exposure limit (15-minute) (ppm) | 2 ppm |
| | | | EU Short-term exposure limit (15-minute) (mg/m3) | 14 mg/m³ |

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other



In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical State/Colour: | Clear pale yellow to yellow liquid |
|---|------------------------------------|
| Odour: | Not determined |
| Odour threshold: | Not determined |
| Melting point / freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range: | Not determined |
| Flammability: | Not determined |
| Lower and upper explosion limit: | Not determined |
| Flash point: | 84 °C |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not relevant |
| pH: | Not determined |
| Kinematic viscosity: | Not determined |
| Solubility: | Not determined |
| Partition coefficient: n-octanol/water (log value): | Not determined |
| Vapour pressure: | 0.26245278 mmHg |
| Density and/or relative density: | 1.0020 |
| Relative vapour density: | Not determined |
| Particle characteristics: | Not determined |
| 9.2 Other information: None available | able |

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.



Page 9 (13) Issue date: 06/03/2024 Version: 6 (06/03/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| Acute Toxicity: | Based on available data the classification criteria are not met. |
|------------------------------------|--|
| Acute Toxicity Oral | 3488 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Skin Corrosion / Irritation Category 2 |
| Serious eye damage/irritation: | Eye Damage / Irritation Category 2 |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Based on available data the classification criteria are not met. |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|----------------------|----------|-----------|---------------|--------------------|------------------------|------------------|
| ALLYL CAPROATE | 123-68-2 | 204-642-4 | 218 | 300 | 3 | Vapour |
| COUMARIN | 91-64-5 | 202-086-7 | 500 | Not available | Not available | Not available |
| PHENETHYL ALCOHOL | 60-12-8 | 200-456-2 | 1610 | 2500 | Not available | Not available |

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable



Page 10 (13) Issue date: 06/03/2024 Version: 6 (06/03/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

- **12.2 Persistence and degradability:** Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

- 12.6 Endocrine disrupting properties: Not Applicable
- 12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-------------------------|--------------------|-------------------------------|--|-----------|------------------------|
| UN Model Regulations | Not classified | - | - | - | - |
| IMDG | Not classified | - | - | - | - |
| ADR,RID,ADN | Not classified | - | - | - | - |
| ΙCAO ΤΙ | Not classified | - | - | - | - |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.



In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version: 6

Section 16. Other information


| Concentration % Limits: | SCI 2=50.29% EDI 2=16.19% SS 1=16.67% EH C3=12.47% EDI 2A=15. 72% |
|--------------------------|--|
| Total Fractional Values: | SCI 2=1.99 EDI 2=6.18 SS 1=6.00 EH C3=8.02 EDI 2A=6.36 |
| Kauta mulaiana. | |

Key to revisions:

Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|--------------|--|
| AH 1 | Aspiration Hazard Category 1 |
| ATD 3 | Acute Toxicity - Dermal Category 3 |
| ATD 4 | Acute Toxicity - Dermal Category 4 |
| ATI 3 | Acute Toxicity - Inhalation Category 3 |
| ATI 4 | Acute Toxicity - Inhalation Category 4 |
| ATO 3 | Acute Toxicity - Oral Category 3 |
| ATO 4 | Acute Toxicity - Oral Category 4 |
| EDI 1 | Eye Damage / Irritation Category 1 |
| EDI 2 | Eye Damage / Irritation Category 2 |
| EH A1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| EH C1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| EH C2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| EH C3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| FL 3 | Flammable Liquid, Hazard Category 3 |
| FS 2 | Flammable Solid, Hazard Category 2 |
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |





6

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version:

| H361 | Suspected of damaging fertility or the unborn child. |
|--------------|--|
| H371 | May cause damage to organs (organs, exposure route). |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P309/311 | IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P311 | Call a POISON CENTRE or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P361 | Remove/Take off immediately all contaminated clothing. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |



6

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ICED EUCALYPTUS FRAGRANCE

Version:

| P391 | Collect spillage. | |
|--------------|--|--|
| P403/233 | Store in a well-ventilated place. Keep container tightly closed. | |
| P403/233/235 | Store in a well-ventilated place. Keep container tightly closed. Keep cool. | |
| P403/235 | Store in a well-ventilated place. Keep cool. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. | |
| REP 2 | Toxic to Reproduction Category 2 | |
| SCI 2 | Skin Corrosion / Irritation Category 2 | |
| SS 1 | Sensitization - Skin Category 1 | |
| SS 1A | Sensitization - Skin Category 1A | |
| SS 1B | Sensitization - Skin Category 1B | |
| STO-SE 2 | Specific Target Organ Toxicity (Single Exposure) Category 2 | |
| STO-SE 3(NE) | Specific Target Organ Toxicity (Single Exposure) Category 3 | |
| STO-SE 3(RI) | Specific Target Organ Toxicity (Single Exposure) Category 3 | |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.