

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** FRAGRANCE

**Version:** 9

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** **AM TIME**FRAGRANCE (Contains:HEXYL CINNAMAL, LIMONENE, LINALOOL, LINALYL ACETATE)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Stansfield's Fragrance Oils

**Company address:** Unit B Solo Works

**Contact:**

**E-Mail address:** p

**Company phone:** +

#### 1.4 Emergency telephone number

**Emergency phone:** Outside Office Hours 0 7 0

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Skin Corrosion / Irritation Category 2  
Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Acute Hazard Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H400, Very toxic to aquatic life.  
H411, Toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

### 2.2 Label elements

#### Classification under Regulation (EC) No 1272/2008

**Signal word:** Warning

**Hazard statements:** H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H400, Very toxic to aquatic life.  
H411, Toxic to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains 4-TERT-BUTYLCYCLOHEXYL ACETATE, BETA-PINENES, COUMARIN, CYCLAMEN ALDEHYDE, EUCALYPTOL, HEXYL SALICYLATE. May produce an allergic reaction.

**Precautionary statements:** P261, Avoid breathing vapour or dust.  
P264, Wash hands and other contacted skin thoroughly after handling.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P273, Avoid release to the environment.  
P280, Wear protective gloves/eye protection/face protection.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P337/313, If eye irritation persists: Get medical advice/attention.  
P362, Take off contaminated clothing and wash before reuse.  
P391, Collect spillage.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:** Sensitisers declared on a CLP Hazard Label: 4-TERT-BUTYLCYCLOHEXYL ACETATE, BETA-PINENES, COUMARIN, CYCLAMEN ALDEHYDE, EUCALYPTOL, HEXYL SALICYLATE  
Hydrocarbon Concentration %: 1.791%

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
BENZYL BENZOATE	120-51-4	204-402-9		20-<50%	ATO 4-EH A1-EH C2; H302-H400-H411,-	oral: ATE = 1160 mg/kg bw
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
ACETYL HEXAMETHYL TETRALIN (AHTN)	21145-77-7, 1506-02-1	244-240-6, 216-133-4		1-<5%	ATO 4-EH A1-EH C1; H302-H410,-	oral: ATE = 1000 mg/kg bw
(E)-4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-3-BUTEN-2-ONE	79-77-6	201-224-3		1-<5%	EH C2;H411,-	oral: ATE = 3940 mg/kg bw
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	1-<5%	EH A1-EH C1;H410,-	
ETHYL HYDROXYPYRONE	4940-11-8	225-582-5		1-<5%	ATO 4;H302,-	oral: ATE = 1200 mg/kg bw
HEXYL CINNAMAL	101-86-0	202-983-3		1-<5%	SS 1B-EH A1-EH C2; H317-H400-H411,-	oral: ATE = 3100 mg/kg bw
4-TERT-BUTYLCYCLOHEXANOL	98-52-2	202-676-4		1-<5%	EDI 2;H319,-	oral: ATE = 4200 mg/kg bw
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226-H304-H315-H317-H400-H412,-	
EUCALYPTOL	470-82-6	207-431-5		1-<5%	FL 3-SS 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
4-TERT-BUTYLCYCLOHEXYL ACETATE	32210-23-4	250-954-9	01-2119976286-24-xxxx	1-<5%	SS 1B;H317,-	oral: ATE = 3370 mg/kg bw
TETRAHYDRO-METHYL-(METHYLPROPYL)-PYRAN-4-OL	63500-71-0	405-040-6	01-0000015458-64-xxxx	1-<5%	EDI 2;H319,-	
CAMPHOR	76-22-2	200-945-0		1-<5%	FS 2-ATO 4-ATI 4-SCI 2-EDI 1-STO-SE 2-EH C2;H228-H302-H315-H318-H332-H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)-oral: ATE = 1500 mg/kg bw
TERPINEOL	8000-41-7	232-268-1	01-2119553062-49-xxxx	1-<5%	SCI 2-EDI 2;H315-H319,-	oral: ATE = 4300 mg/kg bw
HEXYL SALICYLATE	6259-76-3	228-408-6	01-2119638275-36-xxxx	0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-	
COUMARIN	91-64-5	202-086-7		0.1-<1%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
CYCLAMEN ALDEHYDE	103-95-7	203-161-7	01-2119970582-32-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw
CIS-3-HEXENYL SALICYLATE	65405-77-8	265-745-8	01-2119987320-37-xxxx	0.1-<1%	EH A1-EH C2;H400-H411,-	oral: ATE = 2500 mg/kg bw

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

BETA-PINENES	127-91-3	204-872-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317-H410,-	
GAMMA-TERPINENE	99-85-4	202-794-6		0.1-<1%	FL 3-REP 2-AH 1-EH C2;H226-H304-H361-H411,-	oral: ATE = 3650 mg/kg bw
REACTION MASS OF ALLYL (2-METHYLBUTOXY) ACETATE & ALLYL (3-METHOXYBUTOXY) ACETATE	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0		0.1-<1%	ATO 4-ATD 4-ATI 2-EH A1;H302-H312-H330-H400,-	inhalation: ATE = 0.46 mg/l (dusts or mists)- dermal: ATE = 1100 mg/kg bw-oral: ATE = 500 mg/kg bw
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	01-2119555270-46-xxxx	0.1-<1%	EH A1-EH C1;H410,-	

### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	01-2119555270-46-xxxx	0.1-<1%	EH A1-EH C1;H410,-	
CAMPHOR	76-22-2, 464-49-3, 21368-68-3, 464-48-2	200-945-0, 207-355-2, 244-350-4, 207-354-7		1-<5%	-;-,-	
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	0.1-<1%	-;-,-	

### Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
<b>Eye exposure:</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin exposure:</b>	IF ON SKIN: Wash with plenty of soap and water.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	UK Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
CAMPHOR	76-22-2, 464-49-3, 21368-68-3, 464-48-2	200-945-0, 207-355-2, 244-350-4, 207-354-7	UK Long-term exposure limit (8-hour TWA) (ppm)	2 ppm
			UK Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> )	13 mg/m <sup>3</sup>
			UK Short-term exposure limit (15-minute) (ppm)	3 ppm
			UK Short-term exposure limit (15-minute) (mg/m <sup>3</sup> )	19 mg/m <sup>3</sup>
DIETHYL PHTHALATE	84-66-2	201-550-6	UK Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
			UK Short-term exposure limit (15-minute) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

#### 8.2 Exposure Controls

##### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

##### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**Physical State/Colour:** Clear colourless to pale yellow liquid

**Odour:** Not determined

**Odour threshold:** Not determined

**Melting point/freezing point:** Not determined

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

<b>Boiling point or initial boiling point and boiling range:</b>	Not determined
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	92 °C
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not relevant
<b>pH:</b>	Not determined
<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol/water (log value):</b>	Not determined
<b>Vapour pressure:</b>	0.18129683 mmHg
<b>Density and/or relative density:</b>	1.0270
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	2143

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

Acute Toxicity Dermal Not Applicable  
 Acute Toxicity Inhalation Not Available  
**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2  
**Serious eye damage/irritation:** Eye Damage / Irritation Category 2  
**Respiratory or skin sensitisation:** Sensitization - Skin Category 1  
**Germ cell mutagenicity:** Based on available data the classification criteria are not met.  
**Carcinogenicity:** Based on available data the classification criteria are not met.  
**Reproductive toxicity:** Based on available data the classification criteria are not met.  
**STOT-single exposure:** Based on available data the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data the classification criteria are not met.  
**Aspiration hazard:** Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
ACETYL HEXAMETHYL TETRALIN (AHTN)	21145-77-7, 1506-02-1	244-240-6, 216-133-4	1000	Not available	Not available	Not available
BENZYL BENZOATE	120-51-4	204-402-9	1160	Not available	Not available	Not available
CAMPHOR	76-22-2	200-945-0	1500	Not available	1.5	Dust/mist
ETHYL HYDROXYPYRONE	4940-11-8	225-582-5	1200	Not available	Not available	Not available
REACTION MASS OF ALLYL (2- METHYLBUTOXY) ACETATE & ALLYL (3- METHOXYBUTOXY) ACETATE	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0	500	1100	0.46	Dust/mist

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

## Section 12. Ecological information

### 12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

**12.6 Endocrine disrupting properties:** Not Applicable

**12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
<b>UN Model Regulations</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN (AHTN), BENZYL BENZOATE)	9	-	III
<b>IMDG</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN (AHTN), BENZYL BENZOATE) MARINE POLLUTANT	9	-	III
<b>ADR,RID,ADN</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN (AHTN), BENZYL BENZOATE)	9	-	III
<b>ICAO TI</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN (AHTN), BENZYL BENZOATE)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Maritime transport in bulk according to IMO instruments:**

Not applicable

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

### Section 16. Other information

**Concentration % Limits:** SCI 2=65.95% EDI 2=38.76% SS 1=16.90% EH A1=47.55% EH C2=19.33% EH C3=1.93% EH C4=44.30% EDI 2A=36.63%

**Total Fractional Values:** SCI 2=1.52 EDI 2=2.58 SS 1=5.92 EH A1=2.10 EH C2=5.17 EH C3=51.80 EH C4=2.26 EDI 2A=2.73

**Key to revisions:**

Information about hazardous ingredients in the mixture  
 Workplace exposure limits

**Key to abbreviations:**

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 2	Acute Toxicity - Inhalation Category 2
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
FS 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** JAM TIME FRAGRANCE

**Version:** 9

STO-SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
----------	-------------------------------------------------------------

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.