Page 1 (11)

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MOONLIGHT FOREST FRAGRANCE (Contains:LIMONENE, LINALOOL, LINALYL

ACETATE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Stansfield's Fragrance Oils

Company address: Unit B Solo Works Rotterdam Road

Hull HU7 0XD

Contact:

E-Mail address: info@stansfields.shop

Company phone: 01482 447272

1.4 Emergency telephone number

Emergency phone: Outside Office Hours:07921236290

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2 danger:

Eve Damage / Irritation Category 2

Eye Damage / Irritation Category 2
Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning



Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains (ETHOXYMETHYL)CYCLODODECANE, 2,2,6-TRIMETHYL-a-

PROPYLCYCLOHEXANEPROPANOL, ACETYLCEDRENE, ALPHA-ISOMETHYL IONONE, ALPHA-PINENES, BETA-PINENES, CITRONELLOL, COUMARIN, DIMETHYL HEPTENAL,

GERANIOL, METHYL ATRATATE, NEROL. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

(ETHOXYMETHYL)CYCLODODECANE, 2,2,6-TRIMETHYL-


a-PROPYLCYCLOHEXANEPROPANOL,

ACETYLCEDRENE, ALPHA-ISOMETHYL IONONE, ALPHA-PINENES, BETA-PINENES, CITRONELLOL, COUMARIN, DIMETHYL HEPTENAL, GERANIOL, METHYL ATRATATE,

NEROL

Hydrocarbon Concentration %: 5.008%

Page 3 (11)





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE


Version: 1

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	% Classification for (CLP) 1272/200		Specific Conc. Limits, M-factors and ATEs
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	10-<20%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226- H304-H315-H317- H400-H412,-	
4-CYCLOHEXYL-2- METHYL-2-BUTANOL	83926-73-2	420-630-3	01-0000016725-66-xxxx	1-<5%	EDI 1-EH C2;H318- H411,-	
5,5,6- TRIMETHYLBICYCLOH EPT-2- YLCYCLOHEXANOL	3407-42-9	222-294-1	01-2119979583-21-xxxx	1-<5%	EDI 2-REP 2-EH A1- EH C2;H319-H361- H400-H411,-	
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	1-<5%	EH A1-EH C1;H410,-	
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		0.1-<1%	SS 1B-EH C2;H317- H411,-	
COUMARIN	91-64-5	202-086-7		0.1-<1%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
ACETYLCEDRENE	32388-55-9	251-020-3		0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-	oral: ATE = 4500 mg/kg bw
ALPHA-CEDRENE	469-61-4	207-418-4		0.1-<1%	SCI 2-AH 1-EH A1-EH C1;H304-H315-H410,-	M = 10-M = 10
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	0.1-<1%	SCI 2-EDI 1-SS 1; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
BETA-PINENES	127-91-3	204-872-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-	
(ETHOXYMETHYL) CYCLODODECANE	58567-11-6	261-332-1	01-2119971571-34-xxxx	0.1-<1%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
METHYL ATRATATE	4707-47-5	225-193-0		0.1-<1%	SS 1B;H317,-	
GAMMA-TERPINENE	99-85-4	202-794-6		0.1-<1%	FL 3-REP 2-AH 1-EH C2;H226-H304-H361- H411,-	oral: ATE = 3650 mg/kg bw
NEROL	106-25-2	203-378-7		0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 4500 mg/kg bw
METHYL BENZODIOXEPINONE	28940-11-6	249-320-4		0.1-<1%	SCI 1B-EDI 1-STO-SE 3(NE);H314-H336,-	
DIMETHYL HEPTENAL	106-72-9	203-427-2		0.1-<1%	SS 1B;H317,-	
BETA CEDRENE	546-28-1	208-898-8		0.1-<1%	AH 1-EH A1-EH C1; H304-H410,-	



Stansfields.Shop

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	() 1_<1%	SCI 2-EDI 2-SS 1B; H315-H317-H310 -	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
ALPHA-PINENES	80-56-8	201-291-9		0.1-<1%		oral: ATE = 500 mg/kg bw
2,2,6-TRIMETHYL-a- PROPYLCYCLOHEXAN EPROPANOL	70788-30-6	274-892-7, 947-716-8		11 1-< 1%	SS 1B-EH A1-EH C1; H317-H410,-	

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	20-<50%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Page 6 (11)

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

MOONLIGHT FOREST FRAGRANCE **Product:**

1 Version:

Ingredient	CAS	EC Description		Value
DIETHYL PHTHALATE	94 66 2	201-550-6	UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHTE FRITALATE	84-66-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour: Not determined Odour threshold: Not determined Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

83 °C Flash point:

Auto-ignition temperature: Not determined **Decomposition temperature:** Not relevant pH: Not determined Kinematic viscosity: Not determined Solubility: Not determined Partition coefficient: n-octanol/water (log Not determined

value):

Vapour pressure: 0.11596585 mmHg

Density and/or relative density: 1.0130

Page 7 (11)

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

Relative vapour density: Not determined Particle characteristics: Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.


STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

Not Applicable

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN)	9	-	III

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
		SUBSTANCE, LIQUID, N.O.S. (ALPHA-			
		CEDRENE, 1,3,4,6,7,8-HEXAHYDRO-			
		4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-			
		C]PYRAN)			

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SCI 2=34.79% EDI 2=19.94% SS 1=9.90% EH C2=25.88% EH C3=2.58%

EH C4=92.95% EDI 2A=19.94%

Total Fractional Values: SCI 2=2.87 EDI 2=5.02 SS 1=10.10 EH C2=3.86 EH C3=38.80 EH C4=1.


08 EDI 2A=5.02

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Yea P233 Keep container tightly closed. Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplated p273 Avoid release to the environment.	
H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P262 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H400 Wery toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and underst Keep away from heat, sparks, open flames and hot surfaces No sm Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P202 Do not handle until all safety precautions have been read and underst P210 Keep away from heat, sparks, open flames and hot surfaces No sm P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P210 Keep away from heat, sparks, open flames and hot surfaces No sm P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	tood.
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	oking.
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace Avoid release to the environment.	
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	
P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment.	
P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment.	
P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace Avoid release to the environment.	
P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment.	
P273 Avoid release to the environment.	
	ce.
P280 Wear protective alloyed leve protection/face protection	
In 200 Investibility displayed by the profession of the profession	
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/phy	/sician.
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you	feel unwell.
P301/330/331 If swallowed: Rinse mouth. Do not induce vomiting.	
P302/352 IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated of	clothing. Rinse skin with water/shower.
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position	comfortable for breathing.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove do. Continue rinsing.	contact lenses, if present and easy to
P308/313 IF exposed or concerned: Get medical advice/attention.	
P310 Immediately call a POISON CENTER or doctor/physician.	
P330 Rinse mouth.	
P331 Do not induce vomiting.	
P332/313 If skin irritation occurs: Get medical advice/attention.	
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	
P337/313 If eye irritation persists: Get medical advice/attention.	
P362 Take off contaminated clothing and wash before reuse.	
P363 Wash contaminated clothing before reuse.	

Page 11 (11)

Issue date: 06/06/2023 Version: 1 (06/06/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MOONLIGHT FOREST FRAGRANCE

Version: 1

P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 1B	Skin Corrosion / Irritation Category 1B
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(NE)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.